



## Horizontal Type Fiber Optic Splice Closure

Fiberlink's Horizontal Fiber Optic Splice Closure are made of high density reinforced PC material. We supply different ports types, fittings and different fiber optic core numbers for horizontal / dome fiber optic splice closures. Fiber Optic Splice Closures (FOSC) are suitable for protecting optical fiber splices in straight through and branching applications, and can be used in aerial, duct and direct buried fiber optic cable projects.


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H501</b>	
Outside dimension (LxWxH)	390mm×210mm×120mm	
Number of Cable Ports	6 ports (3Inlets + 3Outlets)	
Diameter of fiber cable	Φ7-16mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H502</b>	
Outside dimension (LxWxH)	320mm×210mm×85mm	
Number of Cable Ports	6 ports (3Inlets + 3Outlets)	
Diameter of fiber cable	Φ7-20 mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H503</b>	
Outside dimension (LxWxH)	280mm×200mm×90mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-15 mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H504</b>	
Outside dimension (LxWxH)	450mm×220mm×110mm	
Number of Cable Ports	6 ports (3Inlets + 3Outlets)	
Diameter of fiber cable	Φ7-20mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


**P/N and Specifications**

<b>Item No.</b>	<b>FOSC-GJS-H505</b>	
Outside dimension (LxWxH)	450mm×220mm×160mm	
Number of Cable Ports	6 ports (3Inlets + 3Outlets)	
Diameter of fiber cable	Φ7-23mm	
Splice trays & cores	8 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-192(Cores)	


**P/N and Specifications**

<b>Item No.</b>	<b>FOSC-GJS-H506</b>	
Outside dimension (LxWxH)	460mm×180mm×120mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	6 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-144(Cores)	


**P/N and Specifications**

<b>Item No.</b>	<b>FOSC-GJS-H507</b>	
Outside dimension (LxWxH)	450mm×220mm×110mm	
Number of Cable Ports	8 ports (4Inlets + 4Outlets)	
Diameter of fiber cable	Φ7-20mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	

**P/N and Specifications**

<b>Item No.</b>	<b>FOSC-GJS-H508</b>	
Outside dimension (LxWxH)	420mm×185mm×120mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-17mm	
Splice trays & cores	8 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-192(Cores)	


**P/N and Specifications**

<b>Item No.</b>	<b>FOSC-GJS-H509</b>	
Outside dimension (LxWxH)	470mm×180mm×125mm	
Number of Cable Ports	6 ports (3Inlets + 3Outlets)	
Diameter of fiber cable	Φ7-20mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H510</b>	
Outside dimension (LxWxH)	430mm×180mm×125mm	
Number of Cable Ports	6 ports (3Inlets + 3Outlets)	
Diameter of fiber cable	Φ7-20mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H511</b>	
Outside dimension (LxWxH)	340mm×150mm×70mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-16mm	
Splice trays & cores	2 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-48(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H512</b>	
Outside dimension (LxWxH)	336mm×180mm×100mm	
Number of Cable Ports	8 ports (4Inlets + 4Outlets)	
Diameter of fiber cable	Φ7-16mm	
Splice trays & cores	2 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-48(Cores)	

### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H513</b>	
Outside dimension (LxWxH)	605mm×215mm×120mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-20mm	
Splice trays & cores	4 Trays (Single: 24 cores or Double: 48 cores)	
Capacity of FOSC	Bunchy: 24-192(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H514</b>	
Outside dimension (LxWxH)	460mm×180mm×105mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	4 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H515</b>	
Outside dimension (LxWxH)	460mm×182mm×120mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-20mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H516</b>	
Outside dimension (LxWxH)	605mm×215mm×175mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-23mm	
Splice trays & cores	6 Trays (Single: 24 cores or Double: 48 cores)	
Capacity of FOSC	Bunchy: 24-288(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H517</b>	
Outside dimension (LxWxH)	601mm×163mm×88mm	
Number of Input cable	4+4 Inlets	
Drop cable output	8+8Outlets	
Splitter Module	2 Modules (1x8 & 1x16)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H518</b>	
Outside dimension (LxWxH)	413mm×160mm×88mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-16mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H519</b>	
Outside dimension (LxWxH)	435mm×190mm×170mm	
Number of Cable Ports	8 ports (4Inlets + 4Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	12 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-288(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H520</b>	
Outside dimension (LxWxH)	370mm×178mm×106mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-23mm	
Splice trays & cores	4 Trays (Single: 12 cores or Double: 24 cores)	
Capacity of FOSC	Bunchy: 12-96(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H521</b>	
Outside dimension (LxWxH)	580mm×185mm×125mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ8-22mm	
Splice trays & cores	6 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-144(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H522</b>	
Outside dimension (LxWxH)	655mm×215mm×185mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	8 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-192(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H523</b>	
Outside dimension (LxWxH)	210mm×210mm×45mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	1 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H524</b>	
Outside dimension (LxWxH)	465mm×250mm×240mm	
Number of Cable Ports	8 ports (4Inlets + 4Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	8 Trays (Single: 24 cores or 48 cores)	
Capacity of FOSC	Bunchy: 192-384(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H525</b>	
Outside dimension (LxWxH)	435mm×190mm×120mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	8 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-192(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H526</b>	
Outside dimension (LxWxH)	435mm×190mm×120mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ7-22mm	
Splice trays & cores	8 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-192(Cores)	


### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H527</b>	
Outside dimension (LxWxH)	470mm×240mm×120mm	
Number of Cable Ports	8 ports (4Inlets + 4Outlets)	
Diameter of fiber cable	Φ8-23mm	
Splice trays & cores	8 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-192(Cores)	

### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H528</b>	
Outside dimension (LxWxH)	350mm×145mm×90mm	
Number of Cable Ports	4 ports (2Inlets + 2Outlets)	
Diameter of fiber cable	Φ8-23mm	
Splice trays & cores	4 Trays (Single: 12 cores)	
Capacity of FOSC	Bunchy: 12-48(Cores)	

### P/N and Specifications

<b>Item No.</b>	<b>FOSC-GJS-H531</b>	
Outside dimension (LxWxH)	420mm×150mm×110mm	
Number of Cable Ports	6 ports (3Inlets + 3Outlets)	
Diameter of fiber cable	Φ8-23mm	
Splice trays & cores	4 Trays (Single: 24 cores)	
Capacity of FOSC	Bunchy: 24-96(Cores)	